

**ca** creative  
cables

**IP65**  
WATERPROOF

**EIVA SYSTEM**





The outdoor system by Creative-Cables



---

## EIVA SYSTEM

### OUTDOOR

*EIVA: the first do-it-yourself  
IP65 Outdoor lighting system.*

Water has never been a natural  
environment for light.  
Until today.

Create your own water, rain  
and storm resistant lamp with  
guaranteed Creative-Cables  
quality.


PATENTED SOLUTION  
MADE IN ITALY



# EIVA SYSTEM


## IP65: Water and rain resistant

The heart of EIVA is the world's first wired E27 IP65 lamp holder: thanks to the insulating gel inside and a watertight membrane on the bulb, this lamp holder withstands rain and storms in complete safety.




### Designed for outdoor, perfect for indoor.

The EIVA lighting system is designed, engineered and patented by Creative-Cables and will allow you to illuminate outdoor spaces like gardens, patios and terraces but also as lighting solution for the bathroom, without having to worry about water splashes.




Source: Telal Resort Project by 3-brothers & Nedal Badr


# EIVA USE CASES




- 1x  
 KEIVAROS...
- 2x  
 PL27P.EIVA
- 2x  
 PAM25...
- 2x  
 E27 Led Bulb
- 1x  
 GTP.EIVA
- XZ2S...




- 1x  
 80052
- 6x  
 KEIVAELO1...
- 6x  
 E27 Led Bulb
- 13x  
 GTP.EIVA
- XZ2S...




- 1x  
 80052
- 9x  
 PL27P.EIVA 2
- 9x  
 E27 Led Bulb
- 7x  
 GTP.EIVA
- XZ2S...




- 1x  
 KEIVAROS...
- 5x  
 PL27P.EIVA 2
- 5x  
 E27 Led Bulb
- XZ2S...




- 1x  
 80052
- 1x  
 KEIVAPA...
- 3x  
 E27 Led Bulb
- 2x  
 PL27P.EIVA 2
- 2x  
 PAM13...
- XZ2S...
- 4x  
 GTP.EIVA



- 1x  
 KEIVAROS...
- 3x  
 PL27P.EIVA
- 6x  
 E27 Led Bulb
- 3x  
 PAM13...
- 3x  
 PL27P.EIVA 2
- XZ2S...
- 6x  
 GTP.EIVA



- 1x  
 KEIVAROS...
- 3x  
 KEIVAPA...
- 3x  
 E27 Led Bulb
- 4x  
 GTP.EIVA
- XZ2S...



- 1x  
 KEIVAROS...
- 3x  
 GTP.EIVA
- 4x  
 PL27P.EIVA
- 4x  
 E27 Led Bulb
- 4x  
 PAM13...
- XZ2S...






## EIVA components

Configure your EIVA system by choosing the components that best suit your needs. IP65 single entry lamp holders can be purchased naked or with a soft touch silicone cover: perfect for single pendants or wall lamps. The multiple entry IP65 components (Eiva 2 and Eiva T) allow to create solutions with several light sources, distributed over a wide range and connected by an EIVA cable. The IP55 soft-touch silicone ceiling rose and the IP44 plug will allow you to complete your lighting using a wall connection or a socket.

### Single input lamp holders



### Multiple input components



### Ceiling rose and plug





## Outdoor EIVA cables

Our outdoor cables are also compatible with the EIVA system - Creative-Cables' water and rainproof outdoor lighting system.

### Specifications:

H05RN-F 300/500V<sub>ac</sub> 2x1mm<sup>2</sup>

Rubber sheathed flexible round IMQ-HAR Cable DOUBLE INSULATION under textile braid.




Standard reference: EN 50525-2-11, Low Voltage European Directive No. 2014/35/EU, Products meeting the safety objectives of Low Voltage Directive 2014/35/EU (Annex I). IMQ-HAR certificate No. CA01.00683, DoP No. 0015.

Diameter: 7.6mm - 2 x 1mm<sup>2</sup>.

The cable is sold by the meter, multiple orders will be delivered in one piece up to a maximum of 50 meters in length.

**MADE IN ITALY**

**IEMMEQU <HAR>**  
N° CA01.00683, DoP N° 0015





## EIVA lamps

With EIVA lamps you can finally change the look of your outdoor spaces with the safety of a water resistant product which is Made in Italy. The soft touch silicone finishes and matching cable are perfect to re-create an elegant and contemporary design in your outdoor spaces, lighting pergolas and gazebos. Choose among the available versions and the one that best suits your needs: with lampshade, for exposed light bulb, suspended, plug-in or wall fixed and enjoy your outdoor spaces!

### Fermaluce



Max L 390mm, Max H 400mm

- adjustable**  
Tilted up to 90° & rotated by 315°
- APE2TBSNEPAM05VN
  - APE2TBSNEPAM05GO
  - APE2TBSNEPAM05RA



Max L 390mm, Max H 400mm

- adjustable**  
Tilted up to 90° & rotated by 315°
- APE2TBSNEPAM06VN
  - APE2TBSNEPAM06GO
  - APE2TBSNEPAM06RA



L 390mm, H 260mm

- APE2NEPAM13VNL
- APE2NEPAM13VNL
- APE2NEPAM13VRL



L 195mm, H 255mm

- APE2BI
- APE2NE
- APE2GG
- APE2PE



L 195mm, H 255mm

- APE2BI02
- APE2NE02



L 195mm, H 255mm

- APE2NEPER



Max L 205mm, Max H 255mm

- adjustable**  
Tilted up to 90° & rotated by 315°
- APE2TBSBI
  - APE2TBSNE



Max L 205mm, Max H 255mm

- adjustable**  
Tilted up to 90° & rotated by 315°
- APE2TBSBI02
  - APE2TBSNE02



L 195mm, H 255mm

- adjustable**  
Tilted up to 90° & rotated by 315°
- APE2TBSNEPER



Source: @notrejoyeuxbazar





## Suspension Lamps



Ø max 125mm, cable length 1500mm

-  PDEBIEL0115SM01
-  PDENEEL0115SM04
-  PDEGGEL0115SN02
-  PDEPEEL0115SM01











Ø max 125mm, cable length 5000mm

-  PDEBIEL0150SM01
-  PDENEEL0150SM04
-  PDEGGEL0150SN02
-  PDEPEEL0150SM01











Ø max 125mm, cable length 1500mm

-  PDEBI15SM01
-  PDENE15SM04
-  PDEGG15SN02
-  PDEPE15SM01
-  PDEVE15SX08
-  PDESAL15SN02
-  PDESB15SN02
-  PDEMU15SN06



Ø max 125mm, cable length 5000mm

-  PDEBI50SM01
-  PDENE50SM04
-  PDEGG50SN02
-  PDEPE50SM01
-  PDEVE50SX08
-  PDESAL50SN02
-  PDESB50SN02
-  PDEMU50SN06



Ø max 125mm, cable length 1500mm

-  PDEVEPA15SX08
-  PDESALPA15SN02
-  PDESBPA15SN02
-  PDEMUPA15SN06






Ø max 125mm, cable length 5000mm

-  PDEVEPA50SX08
-  PDESALPA50SN02
-  PDESBPA50SN02
-  PDEMUPA50SN06






Ø max 400mm, cable length 5000mm

-  PDEBIEL0250SM01DDBIA
-  PDENEEL0250SM04DDNER
-  PDENEEL0250SM04DDRASOTS



Ø max 380mm, cable length 5000mm

-  PDENE50SM01PAM11VBL
-  PDENE50SM04PAM11VNL
-  PDENE50SX08PAM11VVL



**Snake - Plug-in lamps**



Ø max 60mm, cable length 5000mm

- PSEEL01BISM01
- PSEEL01NESM04
- PSEEL01GGSN02
- PSEEL01PESM01



Ø max 60mm, cable length 5000mm

- PSEPAVESX08
- PSEPASALSN02
- PSEPASBSN02
- PSEPAMUSN06



Ø max 300mm, cable length 5000mm

- PSEENESM04PAM13VNO
- PSEENESN02PAM13TIS
- PSEENESN04PAM13RAS
- PSEENESN06PAM130TS



Ø max 60mm, cable length 5000mm

- PSEENESM04





COPYRIGHT BY CREATIVE-CABLES S.P.A.  
IT IS FORBIDDEN TO COPY THE CATALOGUE, EVEN PARTIALLY.

In the ongoing search for technical and functional improvements, Creative-Cables reserves the right to make changes, substantial or not, to its products, which may be put into effect without prior notice.

The images and the colours are provided for general information purposes only and are not binding for Creative-Cables.



Creative-Cables S.P.A.  
Lungo Dora Pietro Colletta 113/9  
10153, Turin (TO) - Italy  
VAT number: IT09813270015  
[www.creative-cables.com](http://www.creative-cables.com)  
For Enquiries: +39 011-835037  
[info.b2b@creative-cables.com](mailto:info.b2b@creative-cables.com)