

- Certifikát UL Listed
- CRI 90+
- 2-stupňová MacAdamova elipsa při srovnání barevnosti




## Technická specifikace


Model	NAPÁJECÍ NAPĚTÍ	výkon	BARVA SVĚTLA	Ilość LED szt./m	SVĚTELNÝ TOK	Max. délka napájení	Úhel svitu	Šířka LED
K-22-1820-HD-24V	24 V	18.2 W/m	2200 K	266	1082 lm/m	5 m	120 °	10 mm
K-25-1820-HD-24V	24 V	18.2 W/m	2500 K	266	1328 lm/m	5 m	120 °	10 mm
K-27-1820-HD-24V	24 V	18.2 W/m	2700 K	266	1470 lm/m	5 m	120 °	10 mm
K-30-1820-HD-24V	24 V	18.2 W/m	3000 K	266	1510 lm/m	5 m	120 °	10 mm
K-35-1820-HD-24V	24 V	18.2 W/m	3500 K	266	1590 lm/m	5 m	120 °	10 mm
K-40-1820-HD-24V	24 V	18.2 W/m	4000 K	266	1640 lm/m	5 m	120 °	10 mm
K-50-1820-HD-24V	24 V	18.2 W/m	5000 K	266	1836 lm/m	5 m	120 °	10 mm




**SOUVISEJÍCÍ PROFILY**




Profil GIZA-LL  
Ref: C0758



Profil MICRO-H  
Ref: C0599




Profil PDS-H  
Ref: B9204




Profil 45-16  
Ref: B8504




Profil JAZ  
Ref: B8547




Profil OLEK  
Ref: B8505




Profil KOPRO-30  
Ref: B7890




Profil SILER  
Ref: B9325




Profil MICRO-ALU  
Ref: B1888




Profil TAMI  
Ref: B5390




Profil MICRO-K  
Ref: B3775




Profil PDS-4-ALU  
Ref: B1718




Profil PDS-4-K  
Ref: B3776




Profil PDS-ZM  
Ref: B7696




Profil POR  
Ref: B6144




Profil PDS-O  
Ref: B3777




Profil 45-ALU  
Ref: B4023




Profil GLAD-45  
Ref: B7009



Profil KUBIK-45  
Ref: B7697




Profil TAN-C5  
Ref: B5391




Profil PAC-ALU  
Ref: B4370




Profil STOS-ALU  
Ref: B4369




Profil TRIADA  
Ref: B4476




Profil TRIADA-K  
Ref: B4477




Profil GIZA  
Ref: B5556




Profil LIPOD  
Ref: B5554




Profil LOKOM  
Ref: B5553




Profil LARKO  
Ref: B5552




Profil LESTO  
Ref: B5551




Profil OPAC-30  
Ref: B6164




Profil LOC-30  
Ref: 18015




Profil KOPRO  
Ref: B6367




Profil KOZMA  
Ref: 18040




Profil KOZEL  
Ref: B6454




Profil KOZUS  
Ref: B7823




Profil DES  
Ref: 18030




Profil KIDES-DUO  
Ref: 18032




Profil KIDES  
Ref: 18031




Profil INTER  
Ref: 18011



Profil IKON  
Ref: 18013



Profil IDOL  
Ref: 18014




Profil IMET  
Ref: 18012



Profil POLI  
Ref: B7176




Profil NISA-PLA  
Ref: 18028



Profil NISA-KON  
Ref: 18027




Profil NISA-KRA  
Ref: 18026




Profil NISA-NI  
Ref: 18029




Profil STEP  
Ref: 18042



Profil KRAV-810  
Ref: 18016



Profil EX-ALU  
Ref: 18043




Profil OBIT  
Ref: W4826




Profil LIT-L  
Ref: 18033




Profil WERKIN  
Ref: 18025




Profil MICRO-HG  
Ref: C1419




Profil MICRO-NK  
Ref: C1587




Profil 4050  
Ref: 18050




Profil 4050-W  
Ref: 18051




Profil GIZA-DUO-LL  
Ref: C2162




Profil GLAZA-LL  
Ref: C2627




Profil GIZA-LL-T  
Ref: C2479



Profil GIZA-LL-UST  
Ref: C2724



Profil LIPOD-50  
Ref: C2609



Profil MICRO-PLUS  
Ref: C2966