

### PRODUCT DESCRIPTION

- Simple assembly
- Good stabilization of profile connections
- Can build polygonal lighting fixtures

Fill empty fields

Product nr.

Fixture type

Company

Job name

Date



# **TECHNICAL SPECIFICATION**

### **Application**

- for straight and angular connections of profiles from KLUŚ equipped with a "small lock" and for stabilizing the ends of profiles combined into strings
- can create T-, X-, Y-shaped fixtures from profiles equipped with 3 ZM sockets

#### **Assembly**


- with pressure screws

## Additional information

- stainless steel sheet. 1.5 mm thick



### **RELATED PROFILES**



GIZA-LL profile Ref: C0758



OPK-4 Profile Ref: C0370



3035 Profile Ref: 18039



JAZ Profile Ref: B8547



OLEK Profile Ref: B8505



KOPRO-30 Profile Ref: B7890



PDS-ZM Profile Ref: B7696




GLAD-45 Profile Ref: B7009




KUBIK-45 Profile Ref: B7697



GIZA Profile Ref: B5556



LIPOD Profile Ref: B5554




LOKOM Profile Ref: B5553



LARKO Profile Ref: B5552



LESTO Profile Ref: B5551



OPAC-30 Profile Ref: B6164



KOPRO Profile Ref: B6367



DES Profile Ref: 18030



GLADES Profile Ref: 18036



KIDES-DUO Profile Ref: 18032



KIDES Profile Ref: 18031



SEPOD Profile Ref: B6593



SEKOMA Profile Ref: B6595




SEKODU Profile Ref: B6597



3035-O Profile Ref: B8441





LARKO-50 Profile Ref: C0756



PIKO-ZM Profile Ref: C1168



PDS-ZMG Profile Ref: C1418



MOD-50 Profile Ref: 18047



PDS-ZM-PLUS Profile Ref: C2056



RAM-KOL-50 Profile Ref: 18060



RAM-KOL-100 Profile Ref: 18062



4050 Profile Ref: 18050



4050-W Profile Ref: 18051



GIZA-DUO-LL Profile Ref: C2162



GLAZA-LL Profile Ref: C2627