Profile HR-MAX-TW

Ref. A01828





- Mounting track
- Easy servicing of the HR-MAX Profile
- For indoor|outdoor ground installation
- Space for cable management
- Compatibility with the HR-MAX-T mounting track
- High mechanical resistance

APPLICATION

- makes mounting and service of the HR-MAX profile easy

MOUNTING

- in the ground, with mounting adhesive
- possibility to connect to the HR-MAX-TW profile to make a mounting track with sections for cables and accessories at intervals

ADDITIONAL INFORMATION

- in order to protect the lighting fixture during installation, a TECH-35 protective insert should be used
- when choosing a different length of profiles / covers than available in the standard, you should additionally choose the cutting service at KLUŚ

TECHNICAL DRAWING

1:2



TECHNICAL SPECIFICATIONS

Material	**aluminum**
Color	**silver non anodized**
Possible fixture shapes	**linear**
Profile cross-section	**rectangular**
Width	**37.6 mm**
Height	**55 mm**
Corrosion resistance at high salinity	**yes**
Building type	**Outdoor, Commercial, Retail, HoReCa object**
Facility zone	**outdoor spaces, fascade lighting, parking / garage / driveway**
Can be easily connected into runs	**yes**
Wire out end cap	**yes**

Length	Ref
1000 mm	**A01828N_1**
2005 mm	**A01828N_2**
3010 mm	**A01828N_3**

Standard lengths of KLUŚ profiles and covers: 1000 mm (tolerance ± 1.5 mm) and 2005 mm / 3010 mm (tolerance + 5 mm); for selected covers: 6050 mm, 10050 mm (tolerance + 5 mm)

Profile HR-MAX-TW
Ref. A01828

SAMPLE PROJECTS



SIMILAR PROFILES



Profile HR-MAX-T
A01827

RELATED PROFILES > IN GROUND



Profile HR-MAX
A01829

RELATED ACCESSORIES > END CAPS

NAME		MATERIAL	COLOR	REF.
HR-MAX-TK-STN		stainless steel	silver	C28023N00
End cap HR-MAX-T-STN		stainless steel	silver	C28021N00

Profile HR-MAX-TW

Ref. A01828

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > TECHNICAL AND PROTECTIVE INSERTS

Name	Key features	Material	Color	Ref.
Protective insert TECH-35	- Protection of the fixture interior during installation	PVC	gray satin	C24534C02_1 C24534C02_2 C24534C02_3

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > IN-GROUND

Name	Key features	Material	Color	Ref.
Clip HR-MAX	- Facilitates installation of the HR-MAX fixture	PLA	red colored	C28059C00

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > CONNECTORS

Name	Material	Color	Ref.
Connector ZM	stainless steel	silver	42716 42720 42728 C28070N00 C28071N00 C28072N00 C28073N00 C28074N00 C28075N00 C28243N00
Connector ZM-NA	stainless steel	silver	42305 42339 42725 C28242N00
Connector ZM-PION	stainless steel	silver	42314 42316 42320 42718 42719 C28084N00 C28085N00 C28086N00 C28087N00 C28088N00